

27180 95th Ave Suite 3370 Wilsonville OR 97070 (503) 570-8689 (503) 570-88780 fax

Building Heat City Creek Salt Lake City, UT



UL Listed Custom Control Panels

Single point electrical connection for entire skidded system

Boiler Control Aerco Boiler Management System II controller with Bacnet IP interface gateways, OSA reset by DDC

Pump Control (2) Boiler pumps with VFD drives


Proctor Sales Inc. was contracted by another Aerco representative, J.C. Wilcox, for this project. J.C. Wilcox provided the major equipment and PSI built a custom control panel, performed electrical wiring, piped, and skidded the equipment. Our fabrication resulted in easy electrical and piping connections for a quick "plug n play" boiler system.


Aerco Benchmark 1.5 Hot Water Boiler Skid




Aerco KC1000 Hot Water Boiler Skid










• CHANGED TO 460/60/3 CHANGED PUMP STARTERS TO DRIVES ADDED BACNET COMMUNICATION


DRIGINAL (7-23-09)

MAJOR REVISIONS:

(IF ANALOG SETPOINT USED)

AMIL	Ι.		II)
INU	E.	D>	





REVISION BЗ THIS DRAWING AND DESIGN IS THE PROPERTY OF PROCTOR SALES INC. NEITHER THE DRAWING, REPRODUCTION OF IT, NOR INFORMATION DERIVED FROM IT IS TO BE GIVEN TO OTHERS WITHOUT WRITTEN PERSMISSION. NO USE IS TO BE MADE WHICHIS OR MAY BE INJURIOUS TO PROCTOR SALES INCORPORATED. NUMBERS 57, 57A TD ACCOMDDATE ABB FIXED TERMINAL CHANGED TERMS ' **8 8** 2 3-17-10 12-9-09 INC • $\boldsymbol{\mathcal{O}}$ PROCTOR SALE H AVENUI DREGDN ILLE, 8689 ົດ່າດີ 굮 $\langle v_i \rangle > v_0$ CITY CREEK CENTER NORTH RESIDENCE BOILER SKID #B-76-1 CONTROL PANEL 42335-09 jmb CHECKED BY NEER DATE 9-28-09 42335-NR-IC2 2 DF 7